



RAVENOL SNOWMOBILES Fullsynth. 2-Takt



1L | 1151310-001

4L | 1151310-004

10L | 1151310-010

20L | 1151310-020

20L | 1151310-B20

60L | 1151310-060

208L | 1151310-208

1000L | 1151310-700

Kategorie: 2 stroke engine oil

Artikelnummer: 1151310

Specifications: API TC, ISO L-EGD

Oil type: Full synthetic

Approvals: JASO FD (M049RAV154)

Recommendations: Arctic Cat, Bombardier, Kawasaki, Rotax 253, Suzuki, Yamaha

RAVENOL SNOWMOBILES Fullsynth. 2-Takt is high quality blue coloured full synthetic two-stroke engine oil especially developed for 2-stroke snowmobiles.

RAVENOL SNOWMOBILES Fullsynth. 2-Takt with special esters and Polyisobutylene (PIB) and effectively low ash additives.

Application instructions

RAVENOL SNOWMOBILES Fullsynth. 2-Takt can generally be mixed with regular petrol 1:100.

RAVENOL SNOWMOBILES Fullsynth. 2-Takt is used for lubrication of air-cooled two-stroke petrol engines with very high speed and heaviest load.

RAVENOL SNOWMOBILES Fullsynth. 2-Takt is also suitable for the lubrication of two stroke scooters with water cooling.

Characteristics

- A proper lubrication of all engine parts
- A strong cleaning effect, for clean combustion chambers. Cleans intake and exhaust ports from combustion residues and deposits
- Clean spark plugs provide optimal performance of the engines
- A very high wear and corrosion protection
- Low exhaust emission levels by good combustion
- Very low Pourpoint, also to use at very low temperature

Technical Product Data

CHARACTERISTICS	PROPERTY	DATA	AUDIT
Colour		blau	VISUELL
Viscosity at 100 °C	mm ² /s	9,4	DIN 51562-1
Viscosity at 40 °C	mm ² /s	55,15	DIN 51562-1
Viscosity Index VI		154	DIN ISO 2909
Brookfield Viscosity at -40 °C		43540	ASTM D2983
		passed	ASTM D 4682
Density at 20 °C	kg/m ³	873,0	EN ISO 12185
Flashpoint	°C	128	DIN EN ISO 2592
Compatibility at -40 °C	Minuten	28	ASTM D 4682
Pourpoint	°C	-57	DIN ISO 3016