



RAVENOL SCOOTER 2-Takt Mineral



1L | 1153150-001
4L | 1153150-004
10L | 1153150-010
20L | 1153150-020
20L | 1153150-B20
60L | 1153150-060
208L | 1153150-208
1000L | 1153150-700

Kategorie: 2 stroke engine oil

Artikelnummer: 1153150

Specifications: API TC, ISO L-EGB

Oil type: Mineral

Approvals: JASO FB (M049RAV156)

Recommendations: Aprilia, Honda, Kymco, Peugeot, Piaggio, Suzuki, Vespa, Yamaha

Application: Motorcycle

RAVENOL SCOOTER 2-Takt Mineral is high quality mineral two-stroke engine oil.

RAVENOL SCOOTER 2-Takt Mineral is formulated with mineral base oils with effectively additives for optimum protection against wear and prevent corrosion, deposits and auto-ignitions.

RAVENOL SCOOTER 2-Takt Mineral is optimized for air- and watercooled two stroke engines.

Application instructions

RAVENOL SCOOTER 2-Takt Mineral can generally be mixed with regular petrol 1:50.

RAVENOL SCOOTER 2-Takt Mineral is best choice for separate lubrication and self-mixing systems. The use in oil injection systems this product will ensure optimum lubrication and minimizes smoke environmentally friendly.

RAVENOL SCOOTER 2-Takt Mineral is used for lubrication of air-cooled two-stroke petrol engines.

RAVENOL SCOOTER 2-Takt Mineral is also suitable for the lubrication of two stroke scooters with water cooling. Suitable for separate lubrication systems and self-mixing systems.

Characteristics

- A proper lubrication of all engine parts
- A strong cleaning effect, for clean combustion chambers. Cleans intake and exhaust ports from combustion residues and deposits
- Clean spark plugs provide optimal performance of the engines
- A very high wear and corrosion protection
- Low exhaust emission levels by good combustion

Technical Product Data

CHARACTERISTICS	PROPERTY	DATA	AUDIT
Colour		rot	VISUELL
Viscosity at 100 °C	mm ² /s	9,0	DIN 51562-1
Viscosity at 40 °C	mm ² /s	66,4	DIN 51562-1
Viscosity Index VI		110	DIN ISO 2909
Density at 20 °C	kg/m ³	872,0	EN ISO 12185
Flashpoint	°C	178	DIN EN ISO 2592
Pourpoint	°C	-24	DIN ISO 3016